




Hex Bolts, Full Body, Grade A

ASTM A307 & ASME B18.2.1

Plain, Zinc, HDG

| Item Code | Size | | Lbs / 100 Pcs | Packaged | | Bulk | | |
|-----------|----------------|--------|---------------|----------|----------|---------|----------|----------|
| | Dia. | Length | | Qty/Box | Qty/Case | Qty/Ctn | Ctn/Pal. | Qty/Pal. |
| 1114100 | 1/4-20 | 1/2 | 1.18 | 100 | 2,400 | 5,000 | 36 | 180,000 |
| 1114102 | | 5/8 | 1.31 | 100 | 2,400 | 4,800 | 36 | 172,800 |
| 1114104 | | 3/4 | 1.44 | 100 | 2,400 | 4,000 | 36 | 144,000 |
| 1114106 | | 7/8 | 1.57 | 100 | 2,400 | 4,000 | 36 | 144,000 |
| 1114108 | | 1 | 1.67 | 100 | 2,400 | 3,600 | 36 | 129,600 |
| 1114110 | | 1 1/4 | 2.02 | 100 | 1,800 | 2,800 | 36 | 100,800 |
| 1114112 | | 1 1/2 | 2.39 | 100 | 1,800 | 2,400 | 36 | 86,400 |
| 1114114 | | 1 3/4 | 2.70 | 100 | 1,200 | 1,800 | 36 | 64,800 |
| 1114116 | | 2 | 3.07 | 100 | 1,200 | 1,600 | 36 | 57,600 |
| 1114118 | | 2 1/4 | 3.40 | 100 | 900 | 1,300 | 36 | 46,800 |
| 1114120 | | 2 1/2 | 3.75 | 100 | 900 | 1,300 | 36 | 46,800 |
| 1114122 | | 2 3/4 | 4.06 | 100 | 800 | 900 | 36 | 32,400 |
| 1114124 | | 3 | 4.35 | 100 | 800 | 900 | 36 | 32,400 |
| 1114126 | | 3 1/4 | 4.64 | -- | -- | 800 | 36 | 28,800 |
| 1114128 | | 3 1/2 | 5.10 | 100 | 800 | 750 | 36 | 27,000 |
| 1114130 | | 4 | 5.75 | 100 | 600 | 700 | 36 | 25,200 |
| 1114132 | | 4 1/2 | 6.36 | 100 | 600 | 600 | 36 | 21,600 |
| 1114132 | | 4 1/2 | 6.36 | 50 | 400 | -- | -- | -- |
| 1114136 | | 5 | 6.92 | 100 | 600 | 600 | 36 | 21,600 |
| 1114138 | | 5 1/2 | 7.74 | 100 | 600 | 500 | 36 | 18,000 |
| 1114138 | | 5 1/2 | 7.74 | 50 | 300 | -- | -- | -- |
| 1114142 | | 6 | 8.39 | 100 | 600 | 500 | 36 | 18,000 |
| 1114142 | | 6 | 8.39 | 25 | 400 | -- | -- | -- |
| 1114146 | | 6 1/2 | 9.19 | 100 | 400 | 500 | 36 | 18,000 |
| 1114148 | | 7 | 9.88 | 100 | 300 | 500 | 36 | 18,000 |
| 1114150 | | 7 1/2 | 10.60 | -- | -- | 500 | 36 | 18,000 |
| 1114152 | | 8 | 11.30 | 100 | 300 | 400 | 36 | 14,400 |
| 1114154 | 5/16-18 | 1/2 | 1.82 | 100 | 2,400 | 3,100 | 36 | 111,600 |
| 1114156 | | 5/8 | 2.08 | 100 | 1,800 | 2,800 | 36 | 100,800 |
| 1114158 | | 3/4 | 2.33 | 100 | 1,800 | 2,600 | 36 | 93,600 |
| 1114160 | | 7/8 | 2.53 | 100 | 1,800 | 2,400 | 36 | 86,400 |
| 1114162 | | 1 | 2.74 | 100 | 1,800 | 2,200 | 36 | 79,200 |
| 1114164 | | 1 1/4 | 3.23 | 100 | 1,200 | 1,800 | 36 | 64,800 |
| 1114166 | | 1 1/2 | 3.82 | 100 | 1,200 | 1,600 | 36 | 57,600 |
| 1114168 | | 1 3/4 | 4.27 | 100 | 800 | 1,300 | 36 | 46,800 |
| 1114170 | | 2 | 4.82 | 100 | 800 | 1,200 | 36 | 43,200 |
| 1114172 | | 2 1/4 | 5.39 | 100 | 800 | 900 | 36 | 32,400 |
| 1114174 | | 2 1/2 | 5.95 | 100 | 800 | 900 | 36 | 32,400 |
| 1114176 | | 2 3/4 | 6.46 | 100 | 600 | 750 | 36 | 27,000 |
| 1114178 | | 3 | 6.91 | 100 | 600 | 700 | 36 | 25,200 |
| 1114180 | | 3 1/4 | 7.45 | -- | -- | 600 | 36 | 21,600 |




Hex Bolts, Full Body, Grade A

ASTM A307 & ASME B18.2.1


Plain, Zinc, HDG

| Item Code | Size | | Lbs / 100 Pcs | Packaged | | Bulk | | |
|-----------|----------------|--------|---------------|----------|----------|---------|----------|----------|
| | Dia. | Length | | Qty/Box | Qty/Case | Qty/Ctn | Ctn/Pal. | Qty/Pal. |
| 1114182 | 5/16-18 | 3 1/2 | 8.00 | 50 | 600 | 600 | 36 | 21,600 |
| 1114184 | | 3 3/4 | 8.41 | -- | -- | 500 | 36 | 18,000 |
| 1114186 | | 4 | 8.98 | 50 | 450 | 450 | 36 | 16,200 |
| 1114188 | | 4 1/2 | 10.10 | 50 | 400 | 400 | 36 | 14,400 |
| 1114190 | | 5 | 11.20 | 50 | 300 | 300 | 36 | 10,800 |
| 1114192 | | 5 1/2 | 12.30 | 50 | 300 | 300 | 36 | 10,800 |
| 1114194 | | 6 | 13.30 | 50 | 300 | 300 | 36 | 10,800 |
| 1114194 | | 6 | 13.30 | 25 | 400 | -- | -- | -- |
| 1114198 | | 6 1/2 | 14.20 | 50 | 200 | 300 | 36 | 10,800 |
| 1114200 | | 7 | 15.20 | 50 | 150 | 300 | 36 | 10,800 |
| 1114202 | | 7 1/2 | 16.30 | -- | -- | 300 | 36 | 10,800 |
| 1114204 | | 8 | 17.30 | 50 | 150 | 300 | 36 | 10,800 |
| 1114206 | 3/8-16 | 1/2 | 2.89 | 100 | 1,800 | 2,100 | 36 | 75,600 |
| 1114208 | | 5/8 | 3.16 | 100 | 1,200 | 1,900 | 36 | 68,400 |
| 1114210 | | 3/4 | 3.40 | 100 | 1,200 | 1,800 | 36 | 64,800 |
| 1114212 | | 7/8 | 3.77 | -- | -- | 1,600 | 36 | 57,600 |
| 1114214 | | 1 | 4.03 | 100 | 1,200 | 1,500 | 36 | 54,000 |
| 1114216 | | 1 1/4 | 4.78 | 100 | 900 | 1,300 | 36 | 46,800 |
| 1114218 | | 1 1/2 | 5.54 | 100 | 800 | 1,000 | 36 | 36,000 |
| 1114220 | | 1 3/4 | 6.22 | 100 | 800 | 1,000 | 36 | 36,000 |
| 1114222 | | 2 | 6.94 | 100 | 600 | 800 | 36 | 28,800 |
| 1114224 | | 2 1/4 | 7.69 | 50 | 600 | 700 | 36 | 25,200 |
| 1114226 | | 2 1/2 | 8.52 | 50 | 600 | 650 | 36 | 23,400 |
| 1114228 | | 2 3/4 | 9.24 | 50 | 450 | 600 | 36 | 21,600 |
| 1114230 | | 3 | 10.00 | 50 | 400 | 500 | 36 | 18,000 |
| 1114232 | | 3 1/4 | 10.80 | 50 | 400 | 425 | 36 | 15,300 |
| 1114234 | | 3 1/2 | 11.50 | 50 | 400 | 400 | 36 | 14,400 |
| 1114236 | | 3 3/4 | 12.40 | -- | -- | 325 | 36 | 11,700 |
| 1114238 | | 4 | 13.10 | 50 | 400 | 325 | 36 | 11,700 |
| 1114240 | | 4 1/2 | 14.40 | 50 | 400 | 300 | 36 | 10,800 |
| 1114242 | | 5 | 16.00 | 50 | 300 | 300 | 36 | 10,800 |
| 1114244 | | 5 1/2 | 17.50 | 50 | 300 | 250 | 36 | 9,000 |
| 1114246 | | 6 | 19.10 | 50 | 300 | 250 | 36 | 9,000 |
| 1114248 | | 6 1/2 | 20.80 | 50 | 200 | 250 | 36 | 9,000 |
| 1114250 | | 7 | 22.40 | 50 | 150 | 250 | 36 | 9,000 |
| 1114252 | | 7 1/2 | 23.90 | 50 | 150 | 250 | 36 | 9,000 |
| 1114254 | | 8 | 25.40 | 50 | 150 | 250 | 36 | 9,000 |
| 1114256 | | 8 1/2 | 27.00 | -- | -- | 240 | 24 | 5,760 |
| 1114258 | | 9 | 28.50 | 50 | 150 | 240 | 24 | 5,760 |
| 1114260 | | 9 1/2 | 30.00 | -- | -- | 240 | 24 | 5,760 |
| 1114262 | | 10 | 31.50 | 50 | 150 | 180 | 24 | 4,320 |




Hex Bolts, Full Body, Grade A
 ASTM A307 & ASME B18.2.1
 Plain, Zinc, HDG

| Item Code | Size | | Lbs / 100 Pcs | Packaged | | Bulk | | |
|-----------|----------------|--------|---------------|----------|----------|---------|----------|----------|
| | Dia. | Length | | Qty/Box | Qty/Case | Qty/Ctn | Ctn/Pal. | Qty/Pal. |
| 1114264 | 3/8-16 | 11 | 34.60 | -- | -- | 180 | 24 | 4,320 |
| 1114266 | | 12 | 37.60 | 50 | 150 | 180 | 24 | 4,320 |
| 1114268 | 7/16-14 | 3/4 | 4.80 | 100 | 1,200 | 1,200 | 36 | 43,200 |
| 1114270 | | 1 | 5.67 | 50 | 600 | 1,100 | 36 | 39,600 |
| 1114272 | | 1 1/4 | 6.50 | 50 | 600 | 950 | 36 | 34,200 |
| 1114274 | | 1 1/2 | 7.51 | 50 | 600 | 750 | 36 | 27,000 |
| 1114276 | | 1 3/4 | 8.51 | 50 | 450 | -- | -- | -- |
| 1114278 | | 2 | 9.57 | 50 | 400 | 600 | 36 | 21,600 |
| 1114280 | | 2 1/2 | 11.50 | 50 | 400 | 450 | 36 | 16,200 |
| 1114282 | | 3 | 13.60 | 50 | 300 | 400 | 36 | 14,400 |
| 1114284 | | 3 1/2 | 15.60 | 25 | 300 | 300 | 36 | 10,800 |
| 1114286 | | 4 | 17.90 | 25 | 225 | 250 | 36 | 9,000 |
| 1114288 | | 4 1/2 | 20.00 | 25 | 150 | 225 | 36 | 8,100 |
| 1114290 | | 5 | 22.10 | 25 | 150 | 175 | 36 | 6,300 |
| 1114292 | | 5 1/2 | 24.80 | 25 | 150 | -- | -- | -- |
| 1114294 | | 6 | 26.20 | 25 | 150 | 175 | 36 | 6,300 |
| 1114296 | | 7 | 28.40 | -- | -- | 175 | 36 | 6,300 |
| 1114298 | | 8 | 30.50 | -- | -- | 175 | 36 | 6,300 |
| 1114300 | 1/2-13 | 3/4 | 7.26 | 50 | 600 | 900 | 36 | 32,400 |
| 1114302 | | 7/8 | 7.51 | -- | -- | 800 | 36 | 28,800 |
| 1114304 | | 1 | 8.29 | 50 | 600 | 750 | 36 | 27,000 |
| 1114306 | | 1 1/4 | 9.30 | 50 | 450 | 650 | 36 | 23,400 |
| 1114308 | | 1 1/2 | 10.40 | 50 | 400 | 600 | 36 | 21,600 |
| 1114310 | | 1 3/4 | 11.80 | 50 | 400 | 500 | 36 | 18,000 |
| 1114312 | | 2 | 13.30 | 50 | 300 | 450 | 36 | 16,200 |
| 1114314 | | 2 1/4 | 14.60 | -- | -- | 400 | 36 | 14,400 |
| 1114316 | | 2 1/2 | 16.10 | 50 | 300 | 325 | 36 | 11,700 |
| 1114318 | | 2 3/4 | 17.30 | 50 | 200 | 300 | 36 | 10,800 |
| 1114320 | | 3 | 18.80 | 50 | 200 | 300 | 36 | 10,800 |
| 1114322 | | 3 1/4 | 20.20 | 25 | 200 | 250 | 36 | 9,000 |
| 1114324 | | 3 1/2 | 21.50 | 25 | 200 | 250 | 36 | 9,000 |
| 1114326 | | 3 3/4 | 22.90 | -- | -- | 200 | 36 | 7,200 |
| 1114328 | | 4 | 24.10 | 25 | 200 | 200 | 36 | 7,200 |
| 1114330 | | 4 1/2 | 26.60 | 25 | 150 | 175 | 36 | 6,300 |
| 1114332 | | 5 | 29.60 | 25 | 150 | 150 | 36 | 5,400 |
| 1114334 | | 5 1/2 | 32.40 | 25 | 150 | 150 | 36 | 5,400 |
| 1114336 | | 6 | 35.10 | 25 | 100 | 150 | 36 | 5,400 |
| 1114338 | | 6 1/2 | 37.30 | 25 | 100 | 150 | 36 | 5,400 |
| 1114340 | | 7 | 39.40 | 25 | 75 | 150 | 36 | 5,400 |
| 1114342 | | 7 1/2 | 43.00 | 25 | 75 | 125 | 36 | 4,500 |
| 1114344 | | 8 | 44.80 | 25 | 75 | 125 | 36 | 4,500 |




Hex Bolts, Full Body, Grade A
 ASTM A307 & ASME B18.2.1
 Plain, Zinc, HDG

| Item Code | Size | | Lbs / 100 Pcs | Packaged | | Bulk | | |
|-----------|---------------|------------|---------------|----------|----------|---------|----------|----------|
| | Dia. | Length | | Qty/Box | Qty/Case | Qty/Ctn | Ctn/Pal. | Qty/Pal. |
| 1114346 | 1/2-13 | 8 1/2 | 49.00 | 25 | 75 | 120 | 24 | 2,880 |
| 1114348 | | 9 | 51.70 | 25 | 75 | 120 | 24 | 2,880 |
| 1114350 | | 9 1/2 | 54.50 | 25 | 75 | 120 | 24 | 2,880 |
| 1114352 | | 10 | 57.20 | 25 | 75 | 120 | 24 | 2,880 |
| 1114354 | | 10 1/2 | 59.90 | -- | -- | 120 | 24 | 2,880 |
| 1114356 | | 11 | 62.70 | 25 | 75 | 120 | 24 | 2,880 |
| 1114358 | | 11 1/2 | 65.40 | | | 120 | 24 | 2,880 |
| 1114360 | | 12 | 68.20 | 25 | 75 | 120 | 24 | 2,880 |
| 1114362 | | 13 W/6"THD | 73.60 | -- | -- | 90 | 24 | 2,160 |
| 1114364 | | 14 W/6"THD | 79.10 | 25 | 75 | 90 | 24 | 2,160 |
| 1114366 | | 15 W/6"THD | 84.60 | -- | -- | 80 | 24 | 1,920 |
| 1114368 | | 16 W/6"THD | 90.10 | 25 | 75 | 80 | 24 | 1,920 |
| 1114370 | | 17 W/6"THD | 95.50 | -- | -- | 70 | 24 | 1,680 |
| 1114372 | | 18 W/6"THD | 101.00 | 25 | 75 | 70 | 24 | 1,680 |
| 1114374 | | 19 W/6"THD | 106.40 | -- | -- | 50 | 20 | 1,000 |
| 1114376 | | 20 W/6"THD | 112.00 | 25 | 75 | 50 | 20 | 1,000 |
| 1114378 | | 21 W/6"THD | 116.00 | -- | -- | 50 | 20 | 1,000 |
| 1114380 | | 22 W/6"THD | 121.00 | -- | -- | 50 | 20 | 1,000 |
| 1114382 | | 24 W/6"THD | 132.00 | -- | -- | 50 | 20 | 1,000 |
| 1114384 | | 26 W/6"THD | 143.30 | -- | -- | 40 | 20 | 800 |
| 1114386 | | 28 W/6"THD | 154.10 | -- | -- | 35 | 12 | 420 |
| 1114388 | | 30 W/6"THD | 165.10 | -- | -- | 30 | 12 | 360 |
| 1114390 | | 32 W/6"THD | 175.70 | -- | -- | 30 | 12 | 360 |
| 1114392 | | 36 W/6"THD | 197.30 | -- | -- | 30 | 12 | 360 |
| 1114394 | 5/8-11 | 1 | 14.60 | 25 | 300 | 400 | 36 | 14,400 |
| 1114396 | | 1 1/4 | 16.10 | 25 | 200 | 350 | 36 | 12,600 |
| 1114398 | | 1 1/2 | 18.00 | 25 | 200 | 300 | 36 | 10,800 |
| 1114400 | | 1 3/4 | 19.80 | 25 | 200 | 300 | 36 | 10,800 |
| 1114402 | | 2 | 22.40 | 25 | 200 | 250 | 36 | 9,000 |
| 1114404 | | 2 1/4 | 24.20 | 25 | 200 | 225 | 36 | 8,100 |
| 1114406 | | 2 1/2 | 26.30 | 25 | 150 | 200 | 36 | 7,200 |
| 1114408 | | 2 3/4 | 28.10 | 25 | 150 | 200 | 36 | 7,200 |
| 1114410 | | 3 | 30.50 | 25 | 150 | 175 | 36 | 6,300 |
| 1114412 | | 3 1/4 | 32.40 | 25 | 150 | 150 | 36 | 5,400 |
| 1114414 | | 3 1/2 | 34.60 | 25 | 100 | 150 | 36 | 5,400 |
| 1114416 | | 3 3/4 | 37.90 | -- | -- | 125 | 36 | 4,500 |
| 1114418 | | 4 | 40.10 | 25 | 100 | 125 | 36 | 4,500 |
| 1114420 | | 4 1/2 | 44.40 | 25 | 100 | 100 | 36 | 3,600 |
| 1114422 | | 5 | 48.70 | 25 | 100 | 90 | 36 | 3,240 |
| 1114424 | | 5 1/2 | 53.00 | 25 | 100 | 75 | 36 | 2,700 |
| 1114426 | | 6 | 57.30 | 25 | 100 | 75 | 36 | 2,700 |




Hex Bolts, Full Body, Grade A
 ASTM A307 & ASME B18.2.1
 Plain, Zinc, HDG

| Item Code | Size | | Lbs / 100 Pcs | Packaged | | Bulk | | |
|-----------|--------|------------|---------------|----------|----------|---------|----------|----------|
| | Dia. | Length | | Qty/Box | Qty/Case | Qty/Ctn | Ctn/Pal. | Qty/Pal. |
| 1114428 | 5/8-11 | 6 1/2 | 60.20 | 25 | 75 | 70 | 36 | 2,520 |
| 1114430 | | 7 | 64.40 | 25 | 75 | 70 | 36 | 2,520 |
| 1114432 | | 7 1/2 | 68.70 | 25 | 75 | 60 | 36 | 2,160 |
| 1114434 | | 8 | 72.90 | 25 | 75 | 60 | 36 | 2,160 |
| 1114436 | | 8 1/2 | 77.20 | 20 | 60 | 75 | 24 | 1,800 |
| 1114438 | | 9 | 81.40 | 20 | 60 | 75 | 24 | 1,800 |
| 1114440 | | 9 1/2 | 85.60 | 20 | 60 | 75 | 24 | 1,800 |
| 1114442 | | 10 | 89.90 | 20 | 60 | 75 | 24 | 1,800 |
| 1114444 | | 10 1/2 | 94.10 | 20 | 60 | 70 | 24 | 1,680 |
| 1114446 | | 11 | 98.30 | 20 | 60 | 70 | 24 | 1,680 |
| 1114448 | | 11 1/2 | 102.60 | -- | -- | 70 | 24 | 1,680 |
| 1114450 | | 12 | 106.80 | 20 | 60 | 60 | 24 | 1,440 |
| 1114452 | | 13 W/6"THD | 115.30 | 20 | 60 | 60 | 24 | 1,440 |
| 1114454 | | 14 W/6"THD | 123.80 | 20 | 60 | 60 | 24 | 1,440 |
| 1114456 | | 15 W/6"THD | 132.30 | -- | -- | 50 | 24 | 1,200 |
| 1114458 | | 16 W/6"THD | 140.70 | -- | -- | 50 | 24 | 1,200 |
| 1114460 | | 17 W/6"THD | 149.20 | -- | -- | 45 | 24 | 1,080 |
| 1114462 | | 18 W/6"THD | 157.70 | -- | -- | 45 | 24 | 1,080 |
| 1114464 | | 19 W/6"THD | 166.20 | -- | -- | 35 | 12 | 420 |
| 1114466 | | 20 W/6"THD | 174.70 | -- | -- | 35 | 12 | 420 |
| 1114468 | | 21 W/6"THD | 183.10 | -- | -- | 35 | 20 | 700 |
| 1114470 | | 22 W/6"THD | 191.60 | -- | -- | 30 | 20 | 600 |
| 1114472 | | 24 W/6"THD | 208.60 | -- | -- | 30 | 20 | 600 |
| 1114474 | | 26 W/6"THD | 227.10 | -- | -- | 25 | 12 | 300 |
| 1114476 | | 28 W/6"THD | 244.10 | -- | -- | 25 | 12 | 300 |
| 1114478 | | 32 W/6"THD | 278.10 | -- | -- | 20 | 12 | 240 |
| 1114480 | | 36 W/6"THD | 312.10 | -- | -- | 20 | 12 | 240 |
| 1114482 | 3/4-10 | 1 | 23.60 | 20 | 240 | 250 | 36 | 9,000 |
| 1114484 | | 1 1/4 | 27.10 | 20 | 180 | 225 | 36 | 8,100 |
| 1114486 | | 1 1/2 | 29.70 | 20 | 180 | 200 | 36 | 7,200 |
| 1114488 | | 1 3/4 | 32.30 | 20 | 160 | 200 | 36 | 7,200 |
| 1114490 | | 2 | 35.10 | 20 | 160 | 180 | 36 | 6,480 |
| 1114492 | | 2 1/4 | 38.20 | 20 | 120 | 150 | 36 | 5,400 |
| 1114494 | | 2 1/2 | 41.30 | 20 | 120 | 140 | 36 | 5,040 |
| 1114496 | | 2 3/4 | 44.50 | 20 | 120 | 130 | 36 | 4,680 |
| 1114498 | | 3 | 47.60 | 20 | 120 | 120 | 36 | 4,320 |
| 1114500 | | 3 1/4 | 50.70 | 20 | 120 | 110 | 36 | 3,960 |
| 1114502 | | 3 1/2 | 53.80 | 20 | 120 | 100 | 36 | 3,600 |
| 1114504 | | 3 3/4 | 56.90 | 20 | 80 | 90 | 36 | 3,240 |
| 1114506 | | 4 | 60.00 | 20 | 80 | 85 | 36 | 3,060 |
| 1114508 | | 4 1/2 | 66.20 | 20 | 80 | 80 | 36 | 2,880 |




Hex Bolts, Full Body, Grade A
 ASTM A307 & ASME B18.2.1
 Plain, Zinc, HDG

| Item Code | Size | | Lbs / 100 Pcs | Packaged | | Bulk | | |
|-----------|---------------|------------|---------------|----------|----------|---------|----------|----------|
| | Dia. | Length | | Qty/Box | Qty/Case | Qty/Ctn | Ctn/Pal. | Qty/Pal. |
| 1114510 | 3/4-10 | 5 | 72.40 | 20 | 80 | 65 | 36 | 2,340 |
| 1114512 | | 5 1/2 | 78.70 | 20 | 80 | 60 | 36 | 2,160 |
| 1114514 | | 6 | 84.90 | 20 | 60 | 60 | 36 | 2,160 |
| 1114516 | | 6 1/2 | 88.80 | 20 | 60 | 60 | 36 | 2,160 |
| 1114518 | | 7 | 94.90 | 20 | 60 | 60 | 36 | 2,160 |
| 1114520 | | 7 1/2 | 101.10 | 20 | 60 | 60 | 36 | 2,160 |
| 1114522 | | 8 | 107.20 | 20 | 60 | 60 | 36 | 2,160 |
| 1114524 | | 8 1/2 | 113.80 | 20 | 60 | 60 | 24 | 1,440 |
| 1114526 | | 9 | 119.50 | 20 | 60 | 60 | 24 | 1,440 |
| 1114528 | | 9 1/2 | 125.70 | 20 | 60 | 50 | 24 | 1,200 |
| 1114530 | | 10 | 131.80 | 20 | 60 | 50 | 24 | 1,200 |
| 1114532 | | 10 1/2 | 138.00 | -- | -- | 50 | 24 | 1,200 |
| 1114534 | | 11 | 144.10 | 15 | 45 | 50 | 24 | 1,200 |
| 1114536 | | 11 1/2 | 150.30 | -- | -- | 40 | 24 | 960 |
| 1114538 | | 12 | 156.40 | 15 | 45 | 40 | 24 | 960 |
| 1114540 | | 13 W/6"THD | 168.70 | 15 | 45 | 40 | 24 | 960 |
| 1114542 | | 14 W/6"THD | 181.00 | 10 | 30 | 40 | 24 | 960 |
| 1114544 | | 15 W/6"THD | 193.30 | 10 | 30 | 35 | 24 | 840 |
| 1114546 | | 16 W/6"THD | 205.60 | 10 | 30 | 35 | 24 | 840 |
| 1114548 | | 17 W/6"THD | 217.90 | -- | -- | 30 | 24 | 720 |
| 1114550 | | 18 W/6"THD | 230.20 | -- | -- | 30 | 24 | 720 |
| 1114552 | | 19 W/6"THD | 242.50 | -- | -- | 25 | 20 | 500 |
| 1114554 | | 20 W/6"THD | 254.80 | -- | -- | 25 | 20 | 500 |
| 1114556 | | 21 W/6"THD | 267.10 | -- | -- | 20 | 24 | 480 |
| 1114558 | | 22 W/6"THD | 279.40 | -- | -- | 20 | 24 | 480 |
| 1114560 | | 24 W/6"THD | 304.00 | -- | -- | 20 | 20 | 400 |
| 1114562 | | 26 W/6"THD | 325.00 | -- | -- | 15 | 20 | 300 |
| 1114564 | | 28 W/6"THD | 349.00 | -- | -- | 15 | 12 | 180 |
| 1114566 | | 30 W/6"THD | 397.00 | -- | -- | 15 | 12 | 180 |
| 1114568 | | 32 W/6"THD | 397.00 | -- | -- | 15 | 12 | 180 |
| 1114570 | | 34 W/6"THD | 378.70 | -- | -- | 12 | 24 | 288 |
| 1114572 | | 36 W/6"THD | 445.00 | -- | -- | 12 | 24 | 288 |
| 1114574 | 7/8-9 | 1 1/2 | 42.30 | -- | -- | 140 | 36 | 5,040 |
| 1114576 | | 1 3/4 | 45.70 | 10 | 80 | 130 | 36 | 4,680 |
| 1114578 | | 2 | 49.50 | 10 | 80 | 120 | 36 | 4,320 |
| 1114580 | | 2 1/4 | 53.50 | 10 | 80 | 110 | 36 | 3,960 |
| 1114582 | | 2 1/2 | 58.00 | 10 | 60 | 105 | 36 | 3,780 |
| 1114584 | | 2 3/4 | 62.30 | 10 | 60 | 90 | 36 | 3,240 |
| 1114586 | | 3 | 66.50 | 10 | 60 | 90 | 36 | 3,240 |
| 1114588 | | 3 1/4 | 70.80 | -- | -- | 80 | 36 | 2,880 |
| 1114590 | | 3 1/2 | 76.10 | 10 | 40 | 70 | 36 | 2,520 |



Hex Bolts, Full Body, Grade A
 ASTM A307 & ASME B18.2.1
 Plain, Zinc, HDG

| Item Code | Size | | Lbs / 100 Pcs | Packaged | | Bulk | | |
|-----------|--------------|------------|---------------|----------|----------|---------|----------|----------|
| | Dia. | Length | | Qty/Box | Qty/Case | Qty/Ctn | Ctn/Pal. | Qty/Pal. |
| 1114592 | 7/8-9 | 3 3/4 | 79.30 | -- | -- | 65 | 36 | 2,340 |
| 1114594 | | 4 | 83.50 | 10 | 40 | 60 | 36 | 2,160 |
| 1114596 | | 4 1/2 | 92.00 | 10 | 40 | 60 | 36 | 2,160 |
| 1114598 | | 5 | 100.50 | 10 | 40 | 50 | 36 | 1,800 |
| 1114600 | | 5 1/2 | 109.00 | 10 | 40 | 45 | 36 | 1,620 |
| 1114602 | | 6 | 117.50 | 10 | 40 | 45 | 36 | 1,620 |
| 1114604 | | 6 1/2 | 126.00 | 10 | 30 | 45 | 36 | 1,620 |
| 1114606 | | 7 | 134.50 | 10 | 30 | 45 | 36 | 1,620 |
| 1114608 | | 7 1/2 | 143.00 | 10 | 30 | 45 | 36 | 1,620 |
| 1114610 | | 8 | 151.00 | 10 | 30 | 40 | 36 | 1,440 |
| 1114612 | | 8 1/2 | 160.00 | -- | -- | 40 | 24 | 960 |
| 1114614 | | 9 | 168.00 | 10 | 30 | 40 | 24 | 960 |
| 1114616 | | 9 1/2 | 177.00 | -- | -- | 40 | 24 | 960 |
| 1114618 | | 10 | 185.50 | 10 | 30 | 40 | 24 | 960 |
| 1114620 | | 10 1/2 | 194.00 | -- | -- | 35 | 24 | 840 |
| 1114622 | | 11 | 202.50 | 10 | 30 | 35 | 24 | 840 |
| 1114624 | | 12 | 219.50 | 10 | 30 | 30 | 24 | 720 |
| 1114626 | | 13 W/6"THD | 236.50 | -- | -- | 30 | 24 | 720 |
| 1114628 | | 14 W/6"THD | 253.50 | -- | -- | 25 | 24 | 600 |
| 1114630 | | 15 W/6"THD | 270.50 | -- | -- | 25 | 24 | 600 |
| 1114632 | | 16 W/6"THD | 287.50 | -- | -- | 25 | 24 | 600 |
| 1114634 | | 17 W/6"THD | 304.50 | -- | -- | 20 | 24 | 480 |
| 1114636 | | 18 W/6"THD | 321.50 | -- | -- | 20 | 24 | 480 |
| 1114638 | | 19 W/6"THD | 338.00 | -- | -- | 15 | 12 | 180 |
| 1114640 | | 20 W/6"THD | 355.50 | -- | -- | 15 | 20 | 300 |
| 1114642 | | 22 W/6"THD | 389.50 | -- | -- | 15 | 20 | 300 |
| 1114644 | | 24 W/6"THD | 423.50 | -- | -- | 15 | 20 | 300 |
| 1114646 | | 26 W/6"THD | 448.00 | -- | -- | 12 | 20 | 240 |
| 1114648 | | 28 W/6"THD | 481.00 | -- | -- | 12 | 12 | 144 |
| 1114650 | | 30 W/6"THD | 514.00 | -- | -- | 10 | 12 | 120 |
| 1114652 | | 32 W/6"THD | 547.00 | -- | -- | 10 | 12 | 120 |
| 1114654 | | 36 W/6"THD | 613.00 | -- | -- | 10 | 12 | 120 |
| 1114656 | 1-8 | 2 | 67.60 | 10 | 80 | 90 | 36 | 3,240 |
| 1114658 | | 2 1/4 | 73.10 | -- | -- | 85 | 36 | 3,060 |
| 1114660 | | 2 1/2 | 77.80 | 10 | 60 | 80 | 36 | 2,880 |
| 1114662 | | 2 3/4 | 83.90 | -- | -- | 70 | 36 | 2,520 |
| 1114664 | | 3 | 89.50 | 10 | 60 | 65 | 36 | 2,340 |
| 1114666 | | 3 1/4 | 94.90 | -- | -- | 60 | 36 | 2,160 |
| 1114668 | | 3 1/2 | 100.40 | 10 | 40 | 60 | 36 | 2,160 |
| 1114670 | | 3 3/4 | 105.80 | -- | -- | 50 | 36 | 1,800 |
| 1114672 | | 4 | 111.30 | 10 | 40 | 50 | 36 | 1,800 |



Hex Bolts, Full Body, Grade A

ASTM A307 & ASME B18.2.1

Plain, Zinc, HDG

| Item Code | Size | | Lbs / 100 Pcs | Packaged | | Bulk | | |
|-----------|---------|------------|---------------|----------|----------|---------|----------|----------|
| | Dia. | Length | | Qty/Box | Qty/Case | Qty/Ctn | Ctn/Pal. | Qty/Pal. |
| 1114674 | 1-8 | 4 1/2 | 122.20 | 10 | 40 | 40 | 36 | 1,440 |
| 1114676 | | 5 | 133.20 | 10 | 40 | 40 | 36 | 1,440 |
| 1114678 | | 5 1/2 | 144.10 | 10 | 40 | 40 | 36 | 1,440 |
| 1114680 | | 6 | 155.00 | 10 | 40 | 40 | 36 | 1,440 |
| 1114682 | | 6 1/2 | 166.00 | -- | -- | 35 | 36 | 1,260 |
| 1114684 | | 7 | 176.90 | 10 | 30 | 35 | 36 | 1,260 |
| 1114686 | | 7 1/2 | 187.80 | -- | -- | 30 | 36 | 1,080 |
| 1114688 | | 8 | 198.70 | 10 | 30 | 30 | 36 | 1,080 |
| 1114690 | | 8 1/2 | 209.70 | -- | -- | 30 | 24 | 720 |
| 1114692 | | 9 | 220.60 | 10 | 30 | 30 | 24 | 720 |
| 1114694 | | 9 1/2 | 231.50 | -- | -- | 30 | 24 | 720 |
| 1114696 | | 10 | 242.50 | 10 | 30 | 30 | 24 | 720 |
| 1114698 | | 10 1/2 | 253.40 | -- | -- | 25 | 24 | 600 |
| 1114700 | | 11 | 264.30 | -- | -- | 25 | 24 | 600 |
| 1114702 | | 12 | 286.20 | 6 | 18 | 25 | 24 | 600 |
| 1114704 | | 13 W/6"THD | 308.10 | -- | -- | 20 | 24 | 480 |
| 1114706 | | 14 W/6"THD | 329.90 | -- | -- | 20 | 24 | 480 |
| 1114708 | | 15 W/6"THD | 351.80 | -- | -- | 20 | 24 | 480 |
| 1114710 | | 16 W/6"THD | 373.60 | -- | -- | 20 | 24 | 480 |
| 1114712 | | 17 W/6"THD | 395.50 | -- | -- | 15 | 24 | 360 |
| 1114714 | | 18 W/6"THD | 417.30 | -- | -- | 15 | 24 | 360 |
| 1114716 | | 19 W/6"THD | 439.10 | -- | -- | 12 | 20 | 240 |
| 1114718 | | 20 W/6"THD | 461.10 | -- | -- | 12 | 20 | 240 |
| 1114720 | | 21 W/6"THD | 482.90 | -- | -- | 12 | 20 | 240 |
| 1114722 | | 22 W/6"THD | 504.80 | -- | -- | 10 | 20 | 200 |
| 1114724 | | 23 W/6"THD | 526.60 | -- | -- | 10 | 20 | 200 |
| 1114726 | | 24 W/6"THD | 548.50 | -- | -- | 10 | 20 | 200 |
| 1114728 | | 26 W/6"THD | 589.00 | -- | -- | 10 | 20 | 200 |
| 1114730 | | 28 W/6"THD | 632.00 | -- | -- | 8 | 12 | 96 |
| 1114732 | | 30 W/6"THD | 675.00 | -- | -- | 10 | 12 | 120 |
| 1114734 | | 32 W/6"THD | 718.00 | -- | -- | 8 | 12 | 96 |
| 1114736 | | 36 W/6"THD | 804.00 | -- | -- | 6 | 12 | 72 |
| 1114738 | 1 1/8-7 | 2 1/2 | 105.40 | -- | -- | 50 | 24 | 1,200 |
| 1114740 | | 3 | 124.00 | -- | -- | 40 | 24 | 960 |
| 1114742 | | 3 1/2 | 134.80 | -- | -- | 40 | 24 | 960 |
| 1114744 | | 4 | 148.50 | -- | -- | 40 | 24 | 960 |
| 1114746 | | 4 1/2 | 162.20 | -- | -- | 35 | 24 | 840 |
| 1114748 | | 5 | 175.90 | -- | -- | 30 | 24 | 720 |
| 1114750 | | 5 1/2 | 189.60 | -- | -- | 25 | 24 | 600 |
| 1114752 | | 6 | 203.30 | -- | -- | 25 | 24 | 600 |
| 1114754 | | 6 1/2 | 216.10 | -- | -- | 25 | 24 | 600 |



Hex Bolts, Full Body, Grade A
 ASTM A307 & ASME B18.2.1
 Plain, Zinc, HDG

| Item Code | Size | | Lbs / 100 Pcs | Packaged | | Bulk | | |
|-----------|---------|------------|---------------|----------|----------|---------|----------|----------|
| | Dia. | Length | | Qty/Box | Qty/Case | Qty/Ctn | Ctn/Pal. | Qty/Pal. |
| 1114756 | 1 1/8-7 | 7 | 229.80 | -- | -- | 25 | 24 | 600 |
| 1114758 | | 8 | 257.20 | -- | -- | 20 | 24 | 480 |
| 1114760 | | 9 | 284.60 | -- | -- | 15 | 24 | 360 |
| 1114762 | | 9 1/2 | 298.30 | -- | -- | 15 | 24 | 360 |
| 1114764 | | 10 | 312.00 | -- | -- | 15 | 24 | 360 |
| 1114766 | | 11 | 339.40 | -- | -- | 15 | 24 | 360 |
| 1114768 | | 12 | 366.80 | -- | -- | 15 | 24 | 360 |
| 1114770 | | 14 W/6"THD | 422.00 | -- | -- | 12 | 24 | 288 |
| 1114772 | | 16 W/6"THD | 476.00 | -- | -- | 10 | 24 | 240 |
| 1114774 | | 18 W/6"THD | 529.00 | -- | -- | 10 | 24 | 240 |
| 1114776 | | 20 W/6"THD | 583.00 | -- | -- | 10 | 12 | 120 |
| 1114778 | | 24 W/6"THD | 691.00 | -- | -- | 8 | 20 | 160 |
| 1114780 | | 26 W/6"THD | 745.00 | -- | -- | 8 | 20 | 160 |
| 1114782 | | 28 W/6"THD | 799.00 | -- | -- | 6 | 20 | 120 |
| 1114784 | | 32 W/6"THD | 907.00 | -- | -- | 6 | 12 | 72 |
| 1114786 | | 36 W/6"THD | 1,015.00 | -- | -- | 5 | 12 | 60 |
| 1114788 | 1 1/4-7 | 2 1/2 | 147.00 | -- | -- | 40 | 24 | 960 |
| 1114790 | | 3 | 157.50 | -- | -- | 35 | 24 | 840 |
| 1114792 | | 3 1/2 | 174.50 | -- | -- | 35 | 24 | 840 |
| 1114794 | | 4 | 191.50 | -- | -- | 30 | 24 | 720 |
| 1114796 | | 4 1/2 | 208.50 | -- | -- | 30 | 24 | 720 |
| 1114798 | | 5 | 225.50 | -- | -- | 25 | 24 | 600 |
| 1114800 | | 5 1/2 | 242.50 | -- | -- | 25 | 24 | 600 |
| 1114802 | | 6 | 259.50 | -- | -- | 20 | 24 | 480 |
| 1114804 | | 6 1/2 | 275.40 | -- | -- | 20 | 24 | 480 |
| 1114806 | | 7 | 292.40 | -- | -- | 20 | 24 | 480 |
| 1114808 | | 7 1/2 | 309.40 | -- | -- | 18 | 24 | 432 |
| 1114810 | | 8 | 326.40 | -- | -- | 18 | 24 | 432 |
| 1114812 | | 8 1/2 | 343.40 | -- | -- | 15 | 24 | 360 |
| 1114814 | | 9 | 360.40 | -- | -- | 15 | 24 | 360 |
| 1114816 | | 9 1/2 | 377.40 | -- | -- | 15 | 24 | 360 |
| 1114818 | | 10 | 394.40 | -- | -- | 10 | 24 | 240 |
| 1114820 | | 11 | 428.40 | -- | -- | 10 | 24 | 240 |
| 1114822 | | 12 | 462.40 | -- | -- | 10 | 24 | 240 |
| 1114824 | | 14 W/6"THD | 530.00 | -- | -- | 10 | 24 | 240 |
| 1114826 | | 16 W/6"THD | 597.00 | -- | -- | 8 | 24 | 192 |
| 1114828 | | 18 W/6"THD | 664.00 | -- | -- | 8 | 24 | 192 |
| 1114830 | | 24 W/6"THD | 865.00 | -- | -- | 6 | 20 | 120 |
| 1114832 | | 26 W/6"THD | 940.00 | -- | -- | 6 | 20 | 120 |
| 1114834 | | 32 W/6"THD | 1,144.00 | -- | -- | 5 | 12 | 60 |
| 1114836 | | 36 W/6"THD | 1,280.00 | -- | -- | 5 | 12 | 60 |



Hex Bolts, Full Body, Grade A

ASTM A307 & ASME B18.2.1

Plain, Zinc, HDG

| Item Code | Size | | Lbs / 100 Pcs | Packaged | | Bulk | | |
|-----------|---------|------------|---------------|----------|----------|---------|----------|----------|
| | Dia. | Length | | Qty/Box | Qty/Case | Qty/Ctn | Ctn/Pal. | Qty/Pal. |
| 1114838 | 1 1/2-6 | 3 | 244.70 | -- | -- | 25 | 24 | 600 |
| 1114840 | | 3 1/2 | 267.60 | -- | -- | 25 | 24 | 600 |
| 1114842 | | 4 | 292.20 | -- | -- | 20 | 24 | 480 |
| 1114844 | | 4 1/2 | 316.70 | -- | -- | 20 | 24 | 480 |
| 1114846 | | 5 | 341.30 | -- | -- | 18 | 24 | 432 |
| 1114848 | | 5 1/2 | 365.80 | -- | -- | 15 | 24 | 360 |
| 1114850 | | 6 | 390.40 | -- | -- | 15 | 24 | 360 |
| 1114852 | | 6 1/2 | 414.10 | -- | -- | 15 | 24 | 360 |
| 1114854 | | 7 | 437.90 | -- | -- | 15 | 24 | 360 |
| 1114856 | | 7 1/2 | 462.40 | -- | -- | 12 | 24 | 288 |
| 1114858 | | 8 | 487.00 | -- | -- | 12 | 24 | 288 |
| 1114860 | | 9 | 536.10 | -- | -- | 10 | 24 | 240 |
| 1114862 | | 10 | 585.20 | -- | -- | 10 | 24 | 240 |
| 1114864 | | 11 | 634.30 | -- | -- | 10 | 24 | 240 |
| 1114866 | | 12 | 683.40 | -- | -- | 10 | 24 | 240 |
| 1114868 | | 14 W/6"THD | 792.00 | -- | -- | 8 | 20 | 160 |
| 1114870 | | 16 W/6"THD | 892.00 | -- | -- | 6 | 20 | 120 |
| 1114872 | | 18 W/6"THD | 992.00 | -- | -- | 6 | 20 | 120 |
| 1114874 | | 20 W/6"THD | 1,092.00 | -- | -- | 5 | 20 | 100 |
| 1114876 | | 24 W/6"THD | 1,292.00 | -- | -- | 5 | 20 | 100 |
| 1114878 | | 26 W/6"THD | 1,392.00 | -- | -- | 4 | 20 | 80 |
| 1114880 | | 28 W/6"THD | 1,492.00 | -- | -- | 4 | 20 | 80 |
| 1114882 | | 32 W/6"THD | 1,692.00 | -- | -- | 3 | 20 | 60 |
| 1114884 | | 36 W/6"THD | 1,892.00 | -- | -- | 3 | 20 | 60 |
| 1114886 | 1 3/4-5 | 4 1/2 | 430.00 | -- | -- | 10 | 24 | 240 |
| 1114888 | | 5 | 490.00 | -- | -- | 10 | 24 | 240 |
| 1114890 | | 5 1/2 | 550.00 | -- | -- | 8 | 24 | 192 |
| 1114892 | | 6 | 580.00 | -- | -- | 8 | 24 | 192 |
| 1114894 | | 6 1/2 | 625.00 | -- | -- | 6 | 24 | 144 |
| 1114896 | | 7 | 650.00 | -- | -- | 6 | 24 | 144 |
| 1114898 | | 8 | 720.00 | -- | -- | 6 | 24 | 144 |
| 1114900 | 2-4 1/2 | 6 | 775.00 | -- | -- | 5 | 20 | 100 |
| 1114902 | | 7 | 865.00 | -- | -- | 4 | 20 | 80 |
| 1114904 | | 8 | 960.00 | -- | -- | 4 | 20 | 80 |